

Skin Care
at Work

Sterisol

STERISOL

Hand Disinfectant Ethanol

Properties

A liquid, alcohol-based hand disinfectant based on pharmaceutical-quality ethanol, denatured with iso-propanol and t-Butanol. The product contains glycerine to prevent dry skin and is perfume free. Follow the instructions for hygienic and surgical use below.



Fields of application

Hygienic hand disinfection

The product is suitable for hygienic use in healthcare settings, the food industry, nursery schools, and any environment in which ordinary washing with soap is unavailable or inadequate.

Surgical hand disinfection

Use the product in accordance with national or local recommendations for surgical hand disinfection. Also see instructions for use on the next page.

Sterisol AB Box 149,
592 23 Vadstena
Telefon: 0143 768 68
info@sterisol.se
www.sterisol.com

Effect

- Quick and effective
- Broad effect against bacteria
- Good effect against viruses
- Effective against tuberculosis
- Good effect against yeast
- Not effective against spores

Tests

The product fulfils the requirements for:

- EN 1500 - Hygienic handrub
- EN 12791 - Surgical handrub
- EN 13727 - Bactericidal efficacy
- EN 13624 - Yeastcidal efficacy
- EN14476:2013 - prA2:2016 against MVA

Classification

Hand disinfectant for hygienic and surgical hand disinfection – immediate effect. Classified as a biocidal product according to Regulation (EU) No. 528/2012 - PT1.

Ingredients

Active ingredients, Ethanol (70% w/w), Propan-2-ol (10% w/w).

Ingredients: Aqua, Glycerin (humectant), t-Butyl Alcohol (denaturant), Carbomer (thickening agent), Aminomethyl Propanol (thickening agent).

Total alcohol content: 80% w/w, 85% v/v

Packaging	Art. no.	No. in carton	No. of cartons on pallet	No. on pallet	EAN-code	Amount of packaging/ Litre of packaging
500 ml	4155	12	70	840	7392173001148	130 grams
120 ml	4110	24	98	2352	7392173001124	240 grams
50 ml	4115	28	216	6048	7392173001117	284 grams

Flammable liquid. Transp classification: 3, Limited quantities HS 38089490

Instructions!

Hygienic hand disinfection

Apply not less than 3 ml Sterisol Hand Disinfectant on your dry hands. Rub to dryness (at least 30 seconds). Cover all surfaces of your hands and wrists. Let your hands dry in the air.

Surgical hand disinfection


1. Before applying Sterisol Hand Disinfectant, prewash hands and forearms with Sterisol Liquid Soap. Dry hands and forearms completely using sterile paper towels.
2. Apply ample amount so that the skin is moist for 3 minutes.
3. Ensure Sterisol Hand Disinfectant covers all surfaces of hands, wrists and forearms to elbows. Continue to carefully massage the skin for at least 3 minutes.
4. Let dry before the gloves are put on.

Glove puncture during a procedure

If during surgery the gloves become punctured or torn they should be removed. At this stage the hands can easily be further decontaminated, use Sterisol Hand Disinfectant, as described above.

Important!

1. Ensure a visibly clean, dry hand before applying Sterisol Hand Disinfectant.
2. Ensure that you rub your hands for at least 30 seconds for hygienic hand disinfection, and at least 3 minutes for surgical hand disinfection.
3. There are a number of alternative methods for preparing the hands, nails and forearms prior to undertaking a surgical procedure. Method in this instruction is one example recommended. The principle of surgical hand disinfection will follow the guideline issued by local authority.



Highly flammable liquid and vapor Causes serious eye irritation.

Use biocides safely. Always read the label and product information before use.