

Nolato Cerbo AB		Master Product Specification	
Specification number MPS 102	Product <b>Cerbo Standard Laboratory Lids</b>	Edition 1.0	Valid from 2010-10-15
Prepared by/date Clary J-Estring / 2010-10-15		Approved by/date Marianne Johansson / 2010-10-15	

## 1. General

This specification is valid for:

Article	Article No
Lid 69 D	C112330
Lid 89 D	C112070
Lid 120 D	C112100
Lid 136 D	C112110

## 2. Description

Lid made of LDPE, coloured white.  
Production method: Injection moulding  
Round plastic lid. Provided with a Cerbo Standard Laboratory Containers.

### 3. Technical basis

Drawing: Cerbo Standard Laboratory Lids  
(Appendix 1, drawing number P-4995-E)

Material: Polyeten, CA9150, Borealis or equivalent material

Masterbatch: Remafin vit PE121082, Clariant or equivalent material

### 4. Product requirements

Food contact: With support of the information from our suppliers and other available information, we confirm that the packaging material is suitable for food contact according to: EU 2002/72/EC.

Hygiene: Production and packing is made under hygienic conditions. The production facilities at Nolato Cerbo are environmentally and hygienically controlled. All our products are manufactured in clean zones. We fulfil the requirements of EN ISO 14644-1 ISO Class 8.

### 5. Packaging

The lids are packed into LDPE bag.

The LDPE bags are placed in a cardboard outer carton  
(570X380X410 217-606) Carton/pallet: 16

Article	Article No	Pcs/carton	Pcs/pallet
Lid 69 D	C112330	1,800 pcs	28,800pcs
Lid 89 D	C112070	1,000 pcs	16,000 pcs
Lid 120 D	C112100	500 pcs	8,000 pcs
Lid 136 D	C112110	400 pcs	6,400 pcs

## Labelling information goods:

Each outer cardboard box/carton is labelled externally with the following

- Article name
- Article No
- Batch No
- Quantity (number of units per carton)
- Manufacturing date
- Supplier information

## Shelf life

The shelf life of plastic products is dependent on the storage conditions such as temperature and light. The products shall be stored dark and in a normal room temperature. Plastic products will under normal ageing conditions become more brittle over time. Information from our raw material suppliers indicates about 5% increased brittleness in 5 years time. The shelf life refers to products not used.

We don't recommend use of products older than six years, as this is the time Nolato Cerbo retains the documentation.

## 7. Revision history

1.0 New document

*The information provided in this documentation corresponds to our knowledge on the subject at the date of its publication. This information may be subject to revision as new knowledge and experience become available or any changes in regulations occur. All amendments and modifications will be forwarded automatically to all customers that have purchased any of the products covered in this documentation during the previous twelve (12) months. All Major Changes will be appropriately notified in a timely manner.*

Appendix 1

